

平面図


S=1 : 600

令和7年度 南町斗蔵線道路改良工事 施工延長 L=327.7m

ガードレール(Gr-C-4E) L=20.2m
NO.25+0.0~NO.26+0.0


工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市	小田	宇 館ヶ崎 地内
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	平面図		
縮尺	S=1 : 600	位置	
設計者		設計年度	
角 田 市	図 番	19	

縦断図




工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市 小田 字 館ヶ崎 地内		
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	縦断図		
縮尺	V=1:200 H=1:1000	位置	
設計者	角田市	設計年度	
図番	29		

S=1:100



横断図(3)

S=1:100



工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市 小田 字 館ヶ崎 地内		
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	横断図(3)		
縮尺	S=1:100	位置	
設計者		設計年度	
角田市	図番	1/19	

The diagrams illustrate the cross-section of a road structure at three different stations. Each diagram shows a 7000mm wide road surface with a 5.000% slope. The road is supported by a 17000mm wide base. The diagrams show the following details:

- Diagram 1 (KE 1-2 (NO. 5+10.249)):** Shows a surface reinforcement method with a reinforcement layer of 16.686mm thickness. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base.
- Diagram 2 (NO. 5+02.400):** Shows a surface reinforcement method with a reinforcement layer of 16.655mm thickness. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base.
- Diagram 3 (NO. 5+00.000):** Shows a deep layer mixed treatment method with a reinforcement layer of 16.646mm thickness. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base. The reinforcement is applied to the surface of the base.


工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市 小田 字 館ヶ崎 地内		
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	横断面図(4)		
縮尺	S=1:100	位置	
設計者		設計年度	
角 田 市	図番	5 19	

横断図(8)

S=1 : 100


NO. 12+00.000

GH=13.60
FH=16.66




NO. 11+00.000

GH=13.65
FH=16.70



NO. 10+18. 300

GH=13.66
FH=16.70



記 号	名 称	区 分	
CA1	オーブン鍍削	土砂	-
CA2	床 掘	土砂	-
	サンドマット掘削		3.43
BA1	路床盛土	($W < 2.5m$)	
BA2		($2.5m \leq W < 4.0m$)	
BA3		($4.0m \leq W$)	
BA4	路床盛土	($W < 2.5m$)	
BA5		($2.5m \leq W < 4.0m$)	
BA6		($4.0m \leq W$)	
BA7	路肩盛土		
BA8	路体外盛土	($W < 2.5m$)	
BA9		($2.5m \leq W < 4.0m$)	
BA10		($4.0m \leq W$)	
BA11	埋 戻	埋戻土D	
BA11	畦畔盛土		
	サンドマット盛土		
BL	盛土法面整形		
CL	切土法面整形		

記 号	名 称	区 分	
CA1	オープン掘削	土砂	-
CA2	床 掘	土砂	-
	ワッド マット掘削		
BA1	路体盛土	($W < 2.5m$)	-
BA2		($2.5m \leq W < 4.0m$)	-
BA3		($4.0m \leq W$)	-
BA4	路床盛土	($W < 2.5m$)	-
BA5		($2.5m \leq W < 4.0m$)	-
BA6		($4.0m \leq W$)	-
BA7	路肩盛土		-
BA8	路体外盛土	($W < 2.5m$)	-
BA9		($2.5m \leq W < 4.0m$)	-
BA10		($4.0m \leq W$)	-
BA11	埋 戻	埋戻土 D	-
BA11	畦畔盛土		-
	ワッド マット盛土		
BL	盛土法面整形		-
CL	切土法面整形		-

記 号	名 称	区 分	
CA1	オーブン掘削	土砂	-
CA2	床 掘	土砂	-
	ワッド マット掘削		
BA1	路床盛土	($W < 2.5m$)	
BA2		($2.5m \leq W < 4.0m$)	
BA3		($4.0m \leq W$)	
BA4	路床盛土	($W < 2.5m$)	
BA5		($2.5m \leq W < 4.0m$)	
BA6		($4.0m \leq W$)	
BA7	路肩盛土		
BA8	路床外盛土	($W < 2.5m$)	
BA9		($2.5m \leq W < 4.0m$)	
BA10		($4.0m \leq W$)	
BA11	埋 戻	埋戻し D	
BA11	畦畔盛土		
	ワッド マット盛土		
BL	盛土 法面変形		
CL	切土 法面変形		


工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市	小田 宇 館ヶ崎 地内	
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	横断図(8)		
縮尺	S=1:100	位置	
設計者		設計年度	
角 田 市	図番		

横断図(9)

S=1:100

KE 2-2 (NO. 13+19.514)


GH=13.74
FH=16.759



記 号	名 称	区 分	
CA1	オープン掘削	土砂	-
CA2	床 掘	土砂	-
	ラット マット掘削		8. 27
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	ラット マット盛土		-
BL	盛土法面整形		
CL	切土法面整形		

NO. 13+00.00


GH=13.95
FH=16.700



記 号	名 称	区 分	
CA1	オープン掘削	土砂	0.5
CA2	床 掘	土砂	—
	ラット マット掘削		6.61
BA1	路床盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	ラット盛土		1.21
BL	盛土法面整形		
CL	切土法面整形		

NO. 12+06.64

GH=13.60
FH=16.670




記 号	名 称	区 分	
CA1	オープン掘削	土砂	-
CA2	床 掘	土砂	-
	リッド・マット掘削		3.62
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路体盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	リッド・マット盛土		1.63
BL	盛土・法面整形		
CL	切土・法面整形		

工事番号			
路 線 名	市道 南町斗蔵線		
施工地名	角田市 小田 字 館ヶ崎 地内		
工 事 名	令和7年度 南町斗蔵線道路改良工事		
図 面 名	横 断 図 (9)		
縮 尺	S=1 : 100	位 置	
設 計 者		設 計 年度	
角 田 市	図 番	7/9	

横断図(10)


S=1 : 100

NO. 15+00.00
GH=13.99
FH=16.820




記 号	名 称	区 分	
CA1	オーブン鍍削	土砂	0.87
CA2	床 掘	土砂	0.40
	サンド マット掘削		8.00
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	サンド マット盛土		-
BL	盛土法面整形		
CL	切土法面整形		

GH=13.80
FH=16.778



区 号	名 称	区 分	
CA1	オーブン掘削	土砂	0.87
CA2	床 掘	土砂	0.40
	ラッドマット掘削		6.81
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		-
	ラッドマット盛土		
BL	盛土法面整形		
CL	切土法面整形		

GH=13.74
FH=16.760




記 号	名 称	区 分	
CA1	オーブン掘削	土砂	-
CA2	床 掘	土砂	-
	ラッド マット掘削		8.36
BA1	路体盛土	($W < 2.5m$)	
BA2		($2.5m \leq W < 4.0m$)	
BA3		($4.0m \leq W$)	
BA4	路床盛土	($W < 2.5m$)	
BA5		($2.5m \leq W < 4.0m$)	
BA6		($4.0m \leq W$)	
BA7	路肩盛土		
BA8	路体外盛土	($W < 2.5m$)	
BA9		($2.5m \leq W < 4.0m$)	
BA10		($4.0m \leq W$)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	ラッド マット盛土		-
BL	盛土・法面整形		
GL	切土・法面整形		


工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市	小田	宇 館ヶ崎 地内
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	横断面図(10)		
縮尺	S=1 : 100	位置	
設計者		設計年度	
角 田 市	四 番		

横断図(11)


S=1:100



記 号	名 称	区 分	
CA1	オーブン鋸削	土砂	-
CA2	床 掘	土砂	-
	サド マット掘削		-
BA1	路床盛土	(W<2.5m)	
		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
		(2.5m≦W<4.0m)	
BA5		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	軽質盛土		
	サド マット盛土		-
BL	盛土法面整形		
CL	切土法面整形		



記 号	名 称	区 分	
CA1	オーブン掘削	土砂	0.68
CA2	床 掘	土砂	0.61
	サットマツ掘削		-
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≤W<4.0m)	
BA3		(4.0m≤W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≤W<4.0m)	
BA6		(4.0m≤W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≤W<4.0m)	
BA10		(4.0m≤W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	サットマツ盛土		-
BL	盛土法面整形		
CL	切土法面整形		




記 号	名 称	区 分	
CA1	オープン掘削	土砂	0.67
CA2	床 掘	土砂	0.66
	サド マト掘削		-
BA1	路床盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋 戻	埋戻しD	
BA11	畦畔盛土		
	サド マト盛土		-
BL	盛土法面整形		
CL	切土法面整形		

工事番号			
路 線 名	市道 南町斗蔵線		
施工地名	角田市 小田 宇 館ヶ崎 地内		
工 事 名	令和7年度 南町斗蔵線道路改良工事		
図 面 名	横 断 図 (11)		
縮 尺	S=1 : 100	位 置	
設 計 者		設 計 年度	
角 田 市	図 番		

横断図(12)

S=1:100



記号	名称	区分	
CA1	オープン掘削	土砂	0.64
CA2	床掘	土砂	0.62
	サンドマット掘削		7.24
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋戻	埋戻しD	
BA11	畦畔盛土		
	サンドマット盛土		8.13
BL	盛土法面整形		
CL	切土法面整形		

記号	名称	区分	
CA1	オープン掘削	土砂	0.64
CA2	床掘	土砂	0.62
	サンドマット掘削		7.25
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋戻	埋戻しD	
BA11	畦畔盛土		
	サンドマット盛土		8.14
BL	盛土法面整形		
CL	切土法面整形		

記号	名称	区分	
CA1	オープン掘削	土砂	0.67
CA2	床掘	土砂	0.63
	サンドマット掘削		8.62
BA1	路体盛土	(W<2.5m)	
BA2		(2.5m≦W<4.0m)	
BA3		(4.0m≦W)	
BA4	路床盛土	(W<2.5m)	
BA5		(2.5m≦W<4.0m)	
BA6		(4.0m≦W)	
BA7	路肩盛土		
BA8	路体外盛土	(W<2.5m)	
BA9		(2.5m≦W<4.0m)	
BA10		(4.0m≦W)	
BA11	埋戻	埋戻しD	
BA11	畦畔盛土		
	サンドマット盛土		7.66
BL	盛土法面整形		
CL	切土法面整形		

工事番号			
路線名	市道 南町斗蔵線		
施工地名	角田市 小田 字 館ヶ崎 地内		
工事名	令和7年度 南町斗蔵線道路改良工事		
図面名	横断図(12)		
縮尺	S=1:100	位置	
設計者		設計年度	
角田市	図書		19/19